

SURFACE ■ **EDGE**

CONTRACT FLOORING

WWW.SURFACE-EDGE.COM



S K Y L I N E

DRY BACK LUXURY VINYL

SURFACE ■ EDGE

CONTRACT FLOORING

WHO WE ARE

- An experienced contract furnishings group focused on innovative solutions for multi-family, builder, senior living, retail, corporate and hospitality projects.
- Amongst North America's largest flooring buyers with extensive global supply chain expertise.
- Exclusive North American representation for over a dozen high integrity, offshore flooring factories.
- Diverse product line focused on emerging trends and supported by advantages in price, style, quality and supply chain efficiency.

Multi Family

Senior Living

Corporate

Hospitality

Retail



SKYLINE

DRY BACK LUXURY VINYL






QUICK • SHIP

Available to ship within 10 business days for orders under 2,500 sqft.

SPECIAL • ORDER

NO U.S. Stock. Available for project work with longer lead times.


Contact your Surface Edge representative for details.





NEW


Linley
SPECIAL • ORDER



Mesa Verde
QUICK • SHIP



Mesilla Plaza
SPECIAL • ORDER



Misty Fjords
SPECIAL • ORDER




Mt Vernon
QUICK • SHIP




Pullman
QUICK • SHIP




San Jacinto
SPECIAL • ORDER




Sequoia
QUICK • SHIP



Stonewall
QUICK • SHIP



Yucca House
QUICK • SHIP



NEW

Wells
SPECIAL • ORDER

SPECIFICATIONS

WWW.SURFACE-EDGE.COM

Collection	Skyline	Construction	Luxury Vinyl
Installation	Glue Down	Width	7"
Thickness	2mm	Length	48"
Sqft per Ctn	51.33	Wear Layer	0.3mm 12 mil
Sqft per Container	56,463	Warranty	25 Year Limited Residential Warranty / 10 Year Limited Medium Commercial Warranty
Sqft per Pallet	2,823.15	Surface Finish	UV Polyurethane w/anti-microbial
Edge Type	Square	Locking System	N/A
Embossing	Overall		
Attached Pad	No		



ANTI-MICROBIAL FINISH

Our finish is enhanced with Nano-silver particles that kill bacteria and inhibit the growth of new bacteria on the flooring surface.



WATERPROOF

Made for projects that include areas which are commonly exposed to topical moisture. It is ideal for wet areas such as kitchens, bathrooms, break rooms, common areas, and basements. This product is unaffected by seasonal changes in relative humidity (RH) which can damage other types of flooring over time.



EXCEPTIONAL VALUE

Luxury Vinyl flooring is available in both plank and tile formats giving you the look of high end hardwood, tile, and stone at a fraction of the cost.



FloorScore conforms with the strictest VOC and indoor air quality requirements



CUSTOMIZABLE

Luxury Vinyl flooring can be chosen to suit a wide range of applications by selecting the appropriate wear layer and overall thickness to meet a projects needs.



LOW COST MAINTENANCE

UV cured Polyurethane finish requires no special maintenance procedures or equipment.

THE SKYLINE SERIES

gives you the edge to create the perfect flooring for your project. Our team will work to determine your needs, then suggest the ideal construction to exceed your expectations. All Skyline colors can be produced in any of the following constructions:


CUSTOM CONSTRUCTIONS A V A I L A B L E

WEAR LAYER	THICKNESS	PRODUCT TYPE	WARRANTY
6 mil	2 mm	Dryback	5-Year Light Commercial
8 mil	2 mm	Dryback	8-Year Light Commercial
12 mil	2 mm	Dryback	10-Year Medium Commercial
12 mil	3 mm	Dryback	10-Year Medium Commercial
20 mil	3 mm	Dryback	10-Year Heavy Commercial
12 mil	4.5 mm	Loose Lay	10-Year Medium Commercial
20 mil	4.5 mm	Loose Lay	12-Year Medium Commercial
12 mil	5 mm	Loose Lay	10-Year Medium Commercial
20 mil	5 mm	Loose Lay	12-Year Heavy Commercial

Fire Rating	ASTM E84 75 or less
Mekel Burner Test	Pass
Heat Stability	KSM 3802 0.3mm/ 0.01"80C+2C, 6hr/1hr
Abrasion Resistance	ASTM D3884 0.1% Loss
Slip Resistance Ada	Exceeds ADA Requirements
Dry Static Coefficient Of Friction	ASTM C1028 0.72
Wet Static Coefficient Of Friction	ASTM C1028 0.67
Residual Indentation	EN 433 $\leq 0.10\text{mm}$
Color Fastness	ISO 105-B02 ≥ 6
Dimensional Stability	EN 434 $\leq 0.10\text{mm}$
Flexibility	EN 435 No crack was found
Electrical Behavior	EN 1081 Pass

DRY BACK LUXURY VINYL LAYERS

WWW.SURFACE-EDGE.COM



1

PROTECTIVE COATING

UV cured polyurethane enhanced with anti-microbial treatment

2

WEAR LAYER

Clear PVC film that increases durability and extends the life of the floor

3

DÉCOR LAYER

High resolution print film can be made to look like any surface

4

CORE LAYER

Waterproof core material is flexible for ease of installation

5

BACKER LAYER

Helps stabilize the floor during changes in temperature and is adhered to the subfloor